


 **BENGO**



POLIPASTOS




POLIPASTOS MONORRIEL TRANSLACION MOTORIZADA



MODELO	CAPACIDAD KGS.	RECORRIDO GANCHO MTS	VELOCIDAD MTS/MIN	No. CAIDAS CABLE Y Ø	DIMENSIONES (mm.) APROX.									PESO APROX KGS
					A	B	C	D	E	F	G	H	I	
SPME-1/2-051 SPME-1/2-102	500 1000	16.00 7.00	14.00 7.00	1 × 8 2 × 8	620	510	320	150	230	620	127	330	1000	154
SPME-0/5-051 SPME-0/5-102 SPME-0/5-153 SPME-0/5-204	500 1000 1500 2000	18.00 9.00 6.70 4.50	14.00 7.00 5.00 7.00	1 × 8 2 × 8 3 × 8 4 × 8	910	510	525	190	330	1040	175	340	1100	186
SPME-3-102 SPME-3-153 SPME-3-204	1000 1500 2000	7.60 5.70 4.00	7.00 6.00 4.50	2 × 8 3 × 8 4 × 8	920	515	640	140	290	660	175	340	1000	190
SPME-4-071 SPME-4-152 SPME-4-223 SPME-4-304	750 1500 2250 3000	19.00 9.50 7.00 4.70	14.00 7.00 4.60 3.75	1 × 9.5 2 × 9.5 3 × 9.5 4 × 9.5	900	580	525	185	400	720	230	430	1120	333
SPME-1/5-151 SPME-1/5-302 SPME-1/5-453 SPME-1/5-504 SPME-1/5-604	1500 3000 4500 5000 6000	24.00 12.00 7.65 4.70 6.10	14.00 7.00 5.80 7.00 3.50	1 × 11 2 × 11 3 × 11 4 × 11 4 × 11	1070	590	636	210	420	1140	230	430	1300	600
SPME-5/5-251 SPME-5/5-371 SPME-5/5-502 SPME-5/5-752 SPME-5/5-753 SPME-5/5-1004 SPME-5/5-1004 SPME-5/5-1004 SPME-5/5-1123 SPME-5/5-1504 SPME-5/5-1875 SPME-5/5-2256	2500 3750 5000 7500 7500 10000 10000 11250 15000 18750 22500	30.00 30.00 15.00 10.00 15.00 7.60 7.60 10.00 7.60 7.60 5.85	16.00 20.00 8.00 6.60 10.00 4.00 7.00 7.00 5.00 3.80 3.50	1 × 16 1 × 19 2 × 16 2 × 19 3 × 16 4 × 16 4 × 16 3 × 19 4 × 19 5 × 19 6 × 19	1320	795	806	250	575	1220	280	460	1500	1600




POLIPASTOS BIRRIEL TRANSLACION MOTORIZADA



MODELO	CAPACIDAD KGS.	RECORRIDO GANCHO MTS	VELOCIDAD MTS/MIN	No. CAIDAS Y CABLE Ø	DIMENSIONES (mm.) APROX.							PESO APROX KGS
					A	B	C	D	E	F	I	
SPB-0/5-204	2000	4.50	7.00	4 × 8	1070	1175	395	636	200	796	1000	130
SPB-1/5-151	1500	24.00	14.00	1 × 11	1070	1175	395	636	200	796	1000	650
SPB-1/5-302	3000	12.00	7.00	2 × 11								
SPB-1/5-453	4500	7.85	5.80	3 × 11								
SPB-1/5-504	5000	4.70	7.00	4 × 11								
SPB-1/5-604	6000	6.10	3.50	4 × 11								
SPB-5/5-251	2500	30.00	16.00	1 × 16	1320	1530	540	806	250	1020	1000	1600
SPB-5/5-371	3750	30.00	20.00	1 × 19								
SPB-5/5-502	5000	15.00	8.00	2 × 16								
SPB-5/5-753	7500	10.00	6.60	3 × 16								
SPB-5/5-752	7500	15.00	10.00	2 × 16								
SPB-5/5-1004	10000	7.60	4.00	4 × 16								
SPB-5/5-10D4	10000	7.60	7.00	4 × 16								
SPB-5/5-1123	11250	10.00	7.00	3 × 19								
SPB-5/5-1504	15000	7.60	5.00	4 × 19								
SPB-5/5-1875	18750	7.60	3.80	5 × 19								
SPB-5/5-2256	22500	5.85	3.50	6 × 19								



POLIPASTOS ESTACIONARIOS (FIJOS)



MODELO	CAPACIDAD KGS.	RECORRIDO GANCHO MTS	VELOCIDAD MTS/MIN	No. CAIDAS CABLE Y Ø	DIMENSIONES (mm.) APROX.								PESO APROX KGS
					A	B	C	D	E	F	G	I	
SPBF-1/2-102	1000	7.00	7.00	2 × 8	620	500	230	320	150	400	250	600	130
SPBF-0/5-102	1000	9.00	7.00	2 × 8	910	920	330	525	192	820	485	660	150
SPBF-0/5-153	1500	6.70	5.00	3 × 8									
SPBF-0/5-204	2000	4.50	7.00	4 × 8									
SPBF-3-102	1000	7.60	7.00	2 × 8	920	540	285	640	140	440	600	600	190
SPBF-3-153	1500	5.70	6.00	3 × 8									
SPBF-3-204	2000	4.00	4.50	4 × 8									
SPBF-4-152	1500	9.50	7.00	2 × 9.5	900	580	400	525	140	480	480	700	300
SPBF-4-223	2250	7.00	4.60	3 × 9.5									
SPBF-4-304	3000	4.70	3.75	4 × 9.5									
SPBF-1/5-151	1500	24.00	14.00	1 × 11	1070	1175	395	636	200	1075	596	850	570
SPBF-1/5-302	3000	12.00	7.00	2 × 11									
SPBF-1/5-453	4500	7.65	5.80	3 × 11									
SPBF-1/5-504	5000	4.70	7.00	4 × 11									
SPBF-1/5-604	6000	6.10	3.50	4 × 11									
SPBF-5/5-251	2500	30.00	16.00	1 × 16	1320	1530	540	806	250	1430	766	900	1450
SPBF-5/5-371	3750	30.00	20.00	1 × 19									
SPBF-5/5-502	5000	15.00	8.00	2 × 16									
SPBF-5/5-753	7500	10.00	6.60	3 × 16									
SPBF-5/5-752	7500	15.00	10.00	2 × 19									
SPBF-5/5-1004	10000	7.60	4.00	4 × 16									
SPBF-5/5-10D4	10000	7.60	7.00	4 × 16									
SPBF-5/5-1123	11250	10.00	7.00	3 × 19									
SPBF-5/5-1504	15000	7.60	5.00	4 × 19									
SPBF-5/5-1875	18750	7.60	3.80	5 × 19									
SPBF-5/5-2256	22500	5.85	3.50	6 × 19									