




TALLERES AMERICA SA


**GRUAS PUENTE
VIAJERAS**





GRUA PUENTE VIAJERA

MONORRIEL DE OPERACION MANUAL




CAPACIDAD KGS.	MODELO	MALACATES MODELO	DIMENSIONES (mm.)					
			A	B	L	C	S	DIAM. RUEDA
1000	SBM-N1	1/2, 3, 4 y 0/5	6000 a 15000	1100	2500	230	450	210
2000	SBM-N2	3, 4 y 0/5	6000 a 15000	1100	2500	230	550	210
3000	SBM-N3	4 y 1/5	6000 a 15000	1100 a 1300	2500 a 3000	230 a 250	550	250
5000	SBM-N5	1/2 y 5/5	6000 a 15000	1100 a 1300	2500 a 3000	230 a 330	650	300
7500	SBM-N7	5/5	6000 a 15000	1100 a 1300	2500 a 3000	250 a 330	650	300
10000	SBM-N10	5/5	6000 a 15000	1300 a 1400	3000 a 4000	3000 a 4000	700	450



GRUA PUENTE VIAJERA

MONORRIEL COLGADA DE OPERACION MANUAL




CAPACIDAD	MODELO	MALACATES MODELO	DIMENSIONES (mm.)				
			A	B	C	L	S
1000	SBM-C1	1/2, 3, 4 y 0/5	6000 a 12000	600 a 750	230	1500 a 1800	450
2000	SBM-C2	3, 4 y 0/5	6000 a 12000	600 a 750	230	1500 a 1800	550
3000	SBM-C3	4 y 1/5	6000 a 12000	600 a 750	230 a 250	1500 a 1800	650
5000	SBM-C5	1/5 y 5/5	6000 a 12000	600 a 750	250 a 330	1500 a 1800	700

PARA CLAROS Y CAPACIDADES ESPECIALES, CONSULTE A LA FABRICA



GRUA PUENTE VIAJERA

MONORRIEL DE OPERACION ELECTRICA




CAPACIDAD KGS	MODELO	MALACATES MODELO	LEVANTE (mm)	DIMENSIONES (mm.)				
				A	B	L	C	S
1000	SBE-N1	1/2, 3, 4 y 0/5	7600	6000 a 15000	1100	2500	230	450
2000	SBE-N2	3, 4 y 0/5	4500	6000 a 15000	1100	2500	230	550
3000	SBE-N3	4 y 1/5	6000	6000 a 15000	1100	2500 a 3000	230 a 250	650
5000	SBE-N5	1/5 y 5/5	5500	6000 a 15000	1100 a 1300	2500 a 3000	250 a 330	700
7500	SBE-N7	5/5	10000	6000 a 15000	1100 a 1300	2500 a 3000	250 a 330	750
10000	SBE-N10	5/5	7600	6000 a 15000	1300 a 1400	3000 a 4000	330 a 450	850



GRUA PUENTE VIAJERA

BIRRIEL DE OPERACION ELECTRICA




CAPACIDAD KGS.	MODELO	MALACATE MODELO	DIMENSIONES (mm.)				
			A	B	C	D	E
2000	2BE-N2	3,4 ó 0/5	6000-15000	6000	2200	2500	796
3000	2BE-N3	4 ó 1/5	6000-15000	6000	2200	2500	796
5000	2BE-N5	1/5 ó 5/5	6000-15000	5500	2600	3000	1020
7500	2BE-N7.5	5/5	6000-15000	10000	2800	3300	1020
10000	2BE-N10	5/5	6000-15000	7600	2800	3300	1020
15000	2BE-N15	5/5	6000-15000	7600	2800	3300	1020
20000	2BE-N20	5/5	6000-15000	7600	2800	4000	1020
22500	2BE-N22	5/5	6000-15000	7600	2800	4000	1020

PARA ALTURA DE LEVANTE Y/O CLAROS DISTINTOS A LOS INDICADOS CONSULTE A LA FABRICA.



GRUA PUENTE VIAJERA

TIPO BIRRIEL OPERACION COMBINADA



CAPACIDAD KGS.	MODELO	MALACATE MODELO	DIMENSIONES (mm.)					
			A	B	C	D	E	DIAM. RUEDA
5000	2BM-N5	1/5 y 5/5	6000 a 12000	5500	2600 a 2800	3000	720	250
7500	2BM-N7	5/5	6000 a 12000	10000	2600 a 2800	3300	930	300
10000	2BM-N10	5/5	6000 a 12000	7600	2800	3300 a 4000	930	450


PARA CLAROS Y CAPACIDADES ESPECIALES CONSULTE A LA FABRICA.



GRUAS GIRATORIAS



GRUA GIRATORIA DE PARED




(*)EL MODELO RECOMENDADO CORRESPONDE AL MODELO ESTANDAR.
PARA CASOS ESPECIALES CONSULTE A LA FABRICA.


CAPACIDAD KGS	MODELO	MALACATE MODELO	DIMENSIONES (mm.)				
			A	B	C	E	L
500	GGP-500	1/2	2000	2800	500	650	3000
1000	GGP-1000	1/2 y 3	2000	2800	500	650	3000
2000	GGP-2000	3 y 0/5	2000	2800	500	700	3000
3000	GGP-3000	4 y 1/5	2000	2800	500	750	3000



GRUA GIRATORIA AUTOSOPORTADA




CAPACIDAD KGS	MODELO	MALACATE MODELO	DIMENSIONES (mm.)						
			A	B	C	D	E	F	G
1000	GPL-1000	1/2 y 3	4500	4000	152	4800	650	3000	1000
2000	GPL-2000	3 y 0/5	4500	4000	170	4800	700	3000	1000
3000	GPL-3000	4 y 1/5	4500	4000	185	4800	750	3000	1200
4000	GPL-4000	1/5	4500	4000	200	4800	800	3000	1200
5000	GPL-5000	1/5	4500	4000	240	4800	800	3000	1400



GRUAS ESPECIALES



GRUA PORTICO BIRRIEL




(*) PARA CLAROS MAYORES CONSULTE A LA FABRICA.

CAPACIDAD KGS.	MALACATE MODELO	DIMENSIONES (mm.)					
		A	B	C	D	E	F
3000	1/5	10000 a 14000	7000	2200	2500	8000 a 10000	8000
5000	1/5	10000 a 14000	7000	2600	3000	8000 a 10000	8000
7500	5/5	10000 a 14000	8000	2800	3300	8000 a 10000	8000
10000	5/5	10000 a 14000	8000	2800	3300	8000 a 10000	8000



GRUA PORTICO MONORRIEL



CAPACIDAD KGS.	MALACATE MODELO	DIMENSIONES (mm.)					
		A	B	C	D	E	S
500	1/2	2500 a 3500	3200 a 4500	2200	2500	2400 a 3700	450
1000	3 ó 0/5	3000 a 4000	3000 a 4000	2200	2500	2400 a 3700	450
2000	3, 4 ó 0/5	3000 a 4000	3000 a 4000	2200	2500	2400 a 3700	500